



## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel	
<b>AMC</b>	CJ 5, CJ 7	SPV 005 front axle + back axle 60 mm / axle	X	X	
<b>Asia</b>	Rocsta	SPV 005 front axle + back axle 60 mm / axle	X	X	
<b>Audi</b>	Q7	SPV 005 TC 15 30 mm / axle SPV 005 TC 22 44 mm / axle SPV 005 TC 30 60 mm / axle mixed possible, per example front axle 2 x 15 mm back axle 2 x 22 mm <b>complete 30/44 mm per axle</b>	X X X	X X X	
	Q3	SPV 005 VWT 22/30 front axle 46 mm / axle back axle 60 mm / axle	X	X	
	Q5	SPV 005 Q5 24/30 front axle 48 mm / axle back axle 60 mm / axle	X	X	
<b>BMW</b>	X5 ( Typ X53 ), X3 ( Typ X83 ) X5 ( Typ X70/E70 ) ab Bj. 2007 X6 X1 - on request	SPV 005 X5 front axle + back axle 60 mm / axle SPV 005 X70 23/30 front axle 46 mm / axle back axle 60 mm / axle SPV 005 X6 23/30 front axle 46 mm / axle back axle 60 mm / axle		X X X	
<b>Cadillac</b>	Escalade SRX ( year 2004 to 2009 ) CTS / BLS SRX ( from year 2010 )	SPV 006 CT (*) front axle + back axle 60 mm / axle SPV 006 EX front axle + back axle 60 mm / axle	X X	X X	
<b>Citroën</b>	C-Crosser For the tire combination 7 x 18" mit 225/55 R18 we advise the following spacers: 23 mm front axle and 30 mm back axle because with this combination you have a little or nothing to work in the wheelhouse	SPV 005 PI 23 SPV 005 PI 30 SPV 005 PI 23/30 front axle 46 mm / axle back axle 60 mm / axle	X X X	X X X	
<b>Chevrolet / GMC</b>	Blazer S 10, S 15 Tahoe Trailblazer Captiva Camaro ( from year 2010 )	SPV 005 B or BZ 23 46 mm/axle SPV 005 B or BZ 30 60 mm/axle SPV 005 B or BZ 23/30 SPV 006 CT front axle + back axle 60 mm / axle SPV 006 ATB front axle + back axle 60 mm / axle SPV 005 LAC 23/30 front axle 46 mm / axle back axle 60 mm / axle SPV 005 RC 23 front axle + back axle 46 mm / axle	X X X X X X	X X X X X	

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel	
Chrysler / Jeep	Cherokee ( XJ, KJ ) ( KK ) Grand Cherokee ( ZJ, ZG ) Wrangler ( YJ, TJ )	SPV 005 C 23 46 mm / axle	X	X	
		SPV 005 C 30 60 mm / axle	X	X	
		SPV 005 C 23/30	X	X	
	Grand Cherokee ( WJ, WG, WH ) Commander Wrangler Unlimited ( JK )	SPV 005 AGC 23 46 mm/axle	X	X	
		SPV 005 AGC 30 60 mm/axle	X	X	
		SPV 005 AGC 23/30	X	X	
		SPV 005 AGC 30/40	X	X	
	Grand Cherokee ( WK )	SPV 005 JGC 23 46 mm/axle	X	X	
		SPV 005 JGC 30 60 mm/axle	X	X	
		SPV 005 JGC 23/30	X	X	
	PT Cruiser	SPV 005 VD front axle + back axle 60 mm / axle	X	X	
	Compass, Patriot	SPV 005 PI 23 46 mm / axle	X	X	
		SPV 005 PI 30 60 mm / axle	X	X	
		SPV 005 PI 23/30	X	X	
Aspen	SPV 005 DR 24 48 mm / axle	X	X		
	SPV 005 DR 36 72 mm / axle	X	X		
	SPV 005 DR 24/36	X	X		
C300	SPV 005 L front axle + back axle 60 mm / axle	X	X		
Dacia	Duster ( 2x4 and 4x4 )	SPV 005 DD-18 front axle + back axle 36 mm / axle	X		
		SPV 005 DD-24 front axle + back axle 48 mm / axle	X		
		SPV 005 DD-30 front axle + back axle 60 mm / axle also mixed possible: front axle 2 pcs 18 mm back axle 2 pcs 24 mm	X		
Daihatsu	Feroza, Rocky	SPV 005 front axle + back axle 60 mm / axle	X	X	
	Terios	SPV 005 DT front axle + back axle 60 mm / axle	X		
Dodge	Nitro	SPV 005 C 23 46 mm / axle	X	X	
		SPV 005 C 30 60 mm / axle	X	X	
		SPV 005 C 23/30	X	X	
	Caliber	SPV 005 PI 23 46 mm / axle	X	X	
		SPV 005 PI 30 60 mm / axle	X	X	
		SPV 005 PI 23/30	X	X	
	Journey	SPV 005 AGC 23 46 mm/axle	X	X	
		SPV 005 AGC 30 60 mm/axle	X	X	
		SPV 005 AGC 23/30	X	X	
	Durango until year 2003 Dakota until year 2004 ( 6-lug )	SPV 006 D 60 mm / axle	X	X	
	Durango ab Bj. 2004 Ram Pickup bis Bj. 2000 ( 5-lug ) Ram Pickup ab Bj. 2002 ( 5-lug )	SPV 005 DR 24 48 mm / axle	X	X	
		SPV 005 DR 36 72 mm / axle	X	X	
		SPV 005 DR 24/36	X	X	
	Durango from year 2010	SPV 005 JGC 23 46 mm/axle	X	X	
SPV 005 JGC 30 60 mm/axle		X	X		
SPV 005 JGC 23/30		X	X		
Challenger from year 2008 Charger from year 2006	SPV 005 LDC 23 46 mm/axle	X	X		
	SPV 005 LDC 30 60 mm/axle	X	X		
	SPV 005 LDC 23/30	X	X		

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel		
<b>Fiat</b>	Sedici	SPV 005 TRS 25 front axle + back axle 50 mm / axle ( optional 60 mm / axle )		X		
<b>Ford</b>	Explorer 15 " Serienfelge Alu	SPV 005 F 23 46 mm / axle SPV 005 F 30 60 mm / axle	X X			
	Explorer 16 " Serienfelge	SPV 005 FN 23 46 mm / axle SPV 005 FN 30 60 mm / axle	X X			
	Maverick	SPV 006 60 mm / axle	X	X		
	Ranger 4 WD	SPV 006 FR 60 mm / axle	X	X		
	Escape / Maverick neu	SPV 005 PI 23 46 mm / axle SPV 005 PI 30 60 mm / axle SPV 005 PI 23/30	X X X	X X X		
	Kuga	SPV 005 FK 24/30 front 48 mm / back 60 mm per axle	X	X		
	Expedition/Lincoln Navigat. year until 2000 - M 14 x 1,75 2001 - 2002 - M 14 x 2,00	SPV 005 EX 60 mm / axle	X	X		
	Excursion year 2000 - 2002 - M 14 x 2,00 year 2003 - now - M 14 x 1,50	SPV 008 F-40 80 mm / axle SPV 008 F-30 60 mm / axle SPV 008 F-24 48 mm / axle	X X X	X X X		
	<b>Honda</b>	CRV und HRV For the tire combination 7 x 18" mit 225/55 R18 we advise the following spacers: 23 mm front axle and 30 mm back axle because with this combination you have a little or nothing to work in the wheelhouse	SPV 005 H 23 46 mm / axle	X	X	
			SPV 005 H 30 60 mm / axle	X	X	
SPV 005 H 23/30			X	X		
<b>Hummer</b>	H1 ( also in combination usable )	SPV 008-40 80 mm / axle	X	X		
		SPV 008-30 60 mm / axle	X	X		
		SPV 008-24 48 mm / axle	X	X		
	H2 ( also in combination usable )	SPV 008-40 80 mm / axle	X	X		
		SPV 008-30 60 mm / axle	X	X		
		SPV 008-24 48 mm / axle	X	X		
H3	SPV 006 H3 60 mm / axle	X	X			
<b>Hyundai</b>	Galopper	SPV 006 front axle + back axle 60 mm / axle	X	X		
	Santa Fe´	SPV 005 PI 23 46 mm / axle SPV 005 PI 30 60 mm / axle SPV 005 PI 23/30	X	X		
	Tucson		X	X		
	ix55 / Veracruz ix35		X	X		
	Terracan	SPV 006 H front axle 56 mm / axle back axle 60 mm / axle	X	X		
<b>Infinity</b>	QX56	SPV 006 QX front axle + back axle 60 mm / axle	X	X		
	FX35	SPV 005 N 23 46 mm / axle SPV 005 N 30 60 mm / axle SPV 005 N 23/30	X	X		
	FX45					

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel	
<b>Isuzu</b>	Trooper	SPV 006 O/T 60 mm / axle	X	X	
	D-Max	SPV 006 IDM 23/30 front axle 46 mm / axle back axle 60 mm / axle	X	X	
<b>Iveco</b>	Massif ( Attack )	SPV A05 RR o.Z. front axle + back axle 60 mm / axle ( also 46 mm / axle available )	X		
<b>Kia</b>	Sportage / Retona	SPV 005 60 mm / axle	X	X	
	Sportage ab Bj. 2005 Sorento XM ( new model from year 10/2009 )	SPV 005 PI 23 46 mm / axle	X	X	
		SPV 005 PI 30 60 mm / axle	X	X	
		SPV 005 PI 23/30	X	X	
Sorento	SPV 005 KS 60 mm / axle	X	X		
<b>Lexus</b>	RX 300, RX 350, RX 400 Hybrid RX450 Hybrid	SPV 005 TR 23 46 mm / axle	X	X	
		SPV 005 TR 30 60 mm / axle	X	X	
		SPV 005 TR 23/30	X	X	
<b>Mazda</b>	Pick up B2500, B2600, BT-50	SPV 006 FR 60 mm / axle	X	X	
	Tribute CX 7, CX5, CX9	SPV 005 PI 23 46 mm / axle	X	X	
		SPV 005 PI 30 60 mm / axle	X	X	
		SPV 005 PI 23/30	X	X	
<b>Mercedes</b>	G - Klasse, all types	SPV 005 M 60 mm / axle	X	X	
		SPV 005 M 25 50 mm / axle	X	X	
		SPV 005 M 25/30	X	X	
	M - Klasse, all types GL - Klasse, all types GLK - Klasse, all types R - Klasse, all types	SPV 005 ML 60 mm / axle	X	X	
		SPV 005 ML 22 44 mm / axle	X	X	
		SPV 005 ML 22/30	X	X	
<b>Mitsubishi</b>	Pajero L 040, L 300	SPV 006 60 mm / axle	X	X	
	Pajero V 20, Pajero Sport, L 200 Pickup until year 2005	SPV 006 M 60 mm / axle	X	X	
	Pajero V 60, V 80, Pickup L200 (Typ Kaot) ( Triton )	SPV 006 V60 60 mm / axle	X	X	
	Pinin, Outlander, ASX For Outlander CWO with the tire combination 7 x 18" with 225/55 R18 we advise the following spacers: 23 mm front axle and 30 mm back axle because with this combination you have a little or nothing to work in the wheelhouse For ASX: 4 x 23 mm each side	SPV 005 PI 23 46 mm / axle SPV 005 PI 30 60 mm / axle SPV 005 PI 23/30	X X X	X X X	

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel	
Nissan	Pickup (MD 21+22 bis Bj. 7/05) Terrano I, Terrano II, Patrol, Patrol GR ( Y 60 ), Pathfinder until year 2/2005 NP300 Pickup (*)	SPV 006 N      60 mm / axle	X	X	
	Patrol GR ( Y 61 )	SPV 006 GR      60 mm / axle	X	X	
	Nissan Titan	SPV 006 CT      60 mm / axle	X	X	
	X - Trail	SPV 005 N 23    46 mm / axle	X	X	
	Murano	SPV 005 N 30    60 mm / axle	X	X	
	Qashqai ( type J10 )	SPV 005 N 23/30	X	X	
	Juke				
	Qashqai ( type J11 )	SPV 005 DD-18   36 mm / axle SPV 005 DD-24   48 mm / axle SPV 005 DD-30   60 mm / axle	X X X		
Pathfinder R51 (from 3/2006) Pickup Navara D 40 (from 8/2005) ( Xterra )	SPV 006 DN      60 mm / axle	X	X		
NV 400	SPV 005 MR      60 mm / axle	X	X		
Armada	on request				
Opel	Campo, Frontera, Frontera Sport, Frontera Sport RS, Monterey	SPV 006 O/T      60 mm / axle	X	X	
	Antara	SPV 005 LAC 23/30 front axle 46 mm / axle back axle 60 mm / axle	X	X	
	Mokka	in preparation			
Peugeot	4007	SPV 005 PI 23    46 mm / axle	X	X	
	For the tire combination 7 x 18" with 225/55 R18 we advise the following spacers: 23 mm front axle and 30 mm back axle because with this combination you have a little or nothing to work in the wheelhouse 4008	SPV 005 PI 30    60 mm / axle SPV 005 PI 23/30	X X	X X	
			X	X	
Porsche	Cayenne ( all types )	SPV 005 TC 15    30 mm / axle	X	X	
		SPV 005 TC 22    44 mm / axle	X	X	
		SPV 005 TC 30    60 mm / axle	X	X	
		mixed possible, per example front axle 2 x 15 mm back axle 2 x 22 mm <b>complete 30/44 mm / axle</b>			
Renault	Koleos	SPV 005 N 23    46 mm / axle	X	X	
		SPV 005 N 30    60 mm / axle	X	X	
		SPV 005 N 23/30	X	X	
	Masters	SPV 005 MR      60 mm / axle	X	X	

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel	
<b>Rover</b>	Landrover Defender, Discovery Typ SALLJG Range Rover ( until year 1994)	SPV A05 RR 60 mm / axle	X		
		SPV A05 RR 23 46 mm / axle	X		
	Range Rover LP ( from year 10/94 ) Discovery TD5 Typ LT	SPV 005 RN 60 mm / axle	X	X	
		SPV 005 H 23 46 mm / axle	X	X	
	Rover Freelander I	SPV 005 H 30 60 mm / axle	X	X	
		SPV 005 H 23/30	X	X	
		SPV 005 R3 25/30	X	X	
	Range Rover LM/LG ( from year 2002 ) Range Rover Sport LS Discovery 3 / Discovery 4	SPV 005 R3 25 50 mm / axle	X	X	
		SPV 005 R3 30 60 mm / axle	X	X	
		SPV 005 RF 23 46 mm / axle	X	X	
	Rover Freelander II ( from year 05/2007 ) Range Rover Evoque our proposal: 17" serial rims - front axle 28 mm / back 30 mm 18" rims - front 28 mm / back 30 mm 19" rims - front 28 mm / back 30 mm 20" rims - front 28 mm / back 30 mm	SPV 005 RF 25 50 mm / axle	X	X	
		SPV 005 RF 28 56 mm / axle	X	X	
SPV 005 RF 30 60 mm / axle		X	X		
<b>also in combination possible</b>					
<b>Saab</b>	9 - 7 X (*)	SPV 006 ATB 60 mm / axle	X	X	
<b>Skoda</b>	Yeti	SPV 005 VWT 22/30 front axle 44 mm / axle back axle 60 mm / axle	X	X	
<b>Subaru</b>	Tribeca B9	SPV 005 ST 23 46 mm / axle	X		
		SPV 005 ST 30 60 mm / axle	X		
		SPV 005 ST 23/30	X		
	Forester	SPV 005 SF 23 46 mm / axle	X		
		SPV 005 SF 30 60 mm / axle	X		
		SPV 005 SF 23/30	X		
XV	on request				
<b>Ssang Yong/ Daewoo</b>	Musso, Korando, Rexton ( 6-lug )	SPV 006 60 mm / axle	X	X	
	Kyron, Actyon, Rexton from year 2005 ( 5-lug )	SPV 005 SK 60 mm / axle	X	X	
<b>Suzuki</b>	LJ, SJ, Samurai Vitara, X-90, Jimny, Grand Vitara until year 9/2005	SPV 005 60 mm / axle	X	X	
		SPV 005 TRS 23 46 mm / axle	X	X	
	Grand Vitara from year 10/2005	SPV 005 TRS 60 mm / axle	X	X	
		SPV 005 TRS 23/30	X	X	
	SX 4	SPV 005 TRS 25 50 mm / axle	X	X	

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

application list 02/2014

vehicle manufacturer	vehicle type	using wheel spacer type	available in aluminium	available in steel	
Toyota	J 6/ 7/ 8, 4-Runner, Hilux ( N1/N16/N17 )	SPV 006 O/T 60 mm / axle	X	X	
	Landcruiser 90 und 120, FJ-Cruiser Hi-Lux Typ N25 ( Vigo ) / N2	SPV 006 TJ9 60 mm / axle	X	X	
	RAV 4	SPV 005 TR 23 46 mm / axle SPV 005 TR 60 mm / axle SPV 005 TR 23/30	X X X	X X X	
	Landcruiser 100 also available as special design front axle 60 mm / axle back axle 80 mm / axle including TÜV-certification	SPV 005 J 10 60 mm / axle (SPV 005 J 10 30 / 40 mm) front axle 60 mm / axle back axle 80 mm / axle		X X	
	Landcruiser 200 ( V8 ) Tundra	SPV 005 TV8 28/32 front axle 56 mm / axle back axle 64 mm / axle	X	X	
	HZJ 71/76/78/79, HZJ 105 VDJ200	SPV 005 J 10 o.Z. 60 mm / axle without hubcentric	X	X	
	Urban Cruiser	on request			
Volvo	XC 90	SPV 005 VXC 60 mm / axle	X	X	
	XC 60	SPV 005 RF 23 46 mm / axle SPV 005 RF 25 50 mm / axle SPV 005 RF 28 56 mm / axle SPV 005 RF 30 60 mm / axle <b>also in combination possible</b>	X X X X	X X X X	
	Taro 4 x 4	SPV 006 60 mm / axle	X	X	
	Amarok Touareg ( Diesel 5 Zylinder )	SPV 005 TD5 15 30 mm / axle SPV 005 TD5 22 44 mm / axle SPV 005 TD5 30 60 mm / axle	X X X	X X X	
	Touareg 6 und 8 Zylinder Benziner 6 und 10 Zylinder Diesel	SPV 005 TC 15 30 mm / axle SPV 005 TC 22 44 mm / axle SPV 005 TC 30 60 mm / axle mixed possible, per example front axle 2 x 15 mm back axle 2 x 22 mm <b>complete 30/44 mm / axle</b>	X X X	X X X	
VW	Tiguan Caddy 4Motion	SPV 005 VWT 22/30 front axle 44 mm / axle back axle 60 mm / axle	X	X	
	T2, T3	on request			
	T4	SPV 005 VWT 22/30 front axle 44 mm / axle back axle 60 mm / axle	X	X	
	T5	SPV 005 TD5 15 30 mm / axle SPV 005 TD5 22 44 mm / axle SPV 005 TD5 30 60 mm / axle	X X X	X X X	

## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 60 mm / axle for transporter and camper

application list 02/2014

vehicle manufacturer	vehicle type	bolt circle / mounting accessories	using wheel spacer type	
Fiat Citroen Peugeot	Ducato, Jumper, Boxer	118 x 5 M 14 x 1,5	SPV 005 FD/K 60 mm / axle in steel or aluminium	
Fiat Citroen, Peugeot	Ducato, Jumper, Boxer	130 x 5 M 16 x 1,5	SPV 005 FD/L 60 mm / axle in steel or aluminium	
Mercedes	Sprinter	130 x 5 M 14 x 1,5	SPV 005 M 60 mm / axle ( optional 50 mm / axle ) in steel or aluminium	

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

vehicle manufacturer	vehicle type	bolt circle / mounting accessories	using wheel spacer type	
Dodge	Dakota, Durango, Viper, and other vehicles with same bolt circles	4,5" x 6 ( 114,3 x 6 ) 60mm/axle ½" UNF, M 12 x 1,5, M 14 x 1,5	SPV 006 D	
Chevrolet	Blazer S-Serie, Corvette, and other vehicles with same bolt circles	4,75" x 5 ( 120,65 x 5 ) 60 mm/axle ½" UNF, M 12 x 1,5, M 14 x 1,5	SPV 005 B	
GMC	Astro Van, C 1500, K 1500 2 WD, G 20 and other vehicles with same bolt circles	5,0" x 5 ( 127 x 5 ) 60 mm/axle ½" UNF, M 12 x 1,5, M 14 x 1,5	SPV 005 A	
Cadillac	STS and other vehicles with same bolt circles	5 x 115 60 mm/axle	SPV 005 L	
Cadillac	SRX and other vehicles with same bolt circles	6 x 115 60 mm/axle	SPV 006 L	
Dodge	RAM and other vehicles with same bolt circles	5,5 x 5 ( 139,7 x 5 ) 60 mm/axle ½" UNF, M 12 x 1,5, M 14 x 1,5	SPV 005	
Chevrolet	K 1500, Blazer Full Size, C 1500, and other vehicles with same bolt circles	5,5 x 6 ( 139.7 x 6 ) 60 mm/axle ½" UNF, M 12 x 1,5, M 14 x 1,5	SPV 006 or SPV 006 CT ( according the require- ments )	
Dodge	RAM and other vehicles with same bolt circles	6,5" x 8 ( 165,1 x 8 ) 80 mm/axle 60 mm/axle 48 mm/axle ½" UNF, M 14 x 1,5, 9/16" UNF	SPV 008-40 SPV 008-30 SPV 008-24	
Chevrolet	different types with same bolt circle	6,5" x 8 ( 165,1 x 8 ) 80 mm/axle 60 mm/axle 48 mm/axle ½" UNF, M 14 x 1,5, 9/16" UNF	SPV 008-40 SPV 008-30 SPV 008-24	
Ford	F250, F350	170 x 8 80 mm/axle 60 mm/axle 48 mm/axle	SPV 008 F-40 SPV 008 F-30 SPV 008 F-24	



## wheel spacers for 4x4, SUV's and US - cars

### wheel spacers 30 - 80 mm / axle ( depending on vehicle )

vehicle manufacturer	vehicle type	bolt circle / mounting accessories	using wheel spacer type
Adapter	using for rims with bolt circle 6 x 139,7 for Navara D40/ Pathfinder R51	bolt circle 6 x 114,3 to bolt circle 6 x 139,7 60 mm/axle	SPA 006 DN
Adapter	using rims Defender for Landcruiser J100 and 200 V8	bolt circle 5 x 150 to bolt circle 5 x 165,1 60 mm/axle in aluminium	SPA 005 J10-RR
Adapter	using for trailer the same rims like vehicle	bolt circle 5 x 112 to bolt circle 5 x 165,1 or other combinations	

**Other dimensions of bolt circle adapter possible, please send us your enquiry.**

### wheel spacers for Chevrolet Corvette / Ford Mustang with TÜV certification application list 02/2014

vehicle manufacturer	vehicle type	bolt circle / mounting accessories	using wheel spacer type	available in aluminium	available in steel	
Chevrolet	Corvette C1 Bj. 1953 - 1962 C2 Bj. 1963 - 1967 C3 Bj. 1968 - 1982	120,65 x 5 7/16" UNF centering with nuts	SPV 005 B 23 46 mm / axle	X	X	
			SPV 005 B 30 60 mm / axle	X	X	
Chevrolet	Corvette C 4 Bj. 1984 - 1996	120,65 x 5 M 12 x 1,5 centering with nuts	SPV 005 B 23 46 mm / axle	X	X	
			SPV 005 B 30 60 mm / axle	X	X	
Chevrolet	Corvette C5 Bj. 1997 - 2004 C6 Bj. 2005 - 2008	120,65 x 5 M 12 x 1,5 with hub centric	SPV 005 BZ 23 46 mm / axle	X	X	
			SPV 005 BZ 30 60 mm / axle	X	X	
Ford	Mustang ( 4-lug ) Bj. 1964 - 1993	108 x 4 centering with nuts	SPV 004 F 23 46 mm / axle	X	X	
			SPV 004 F 30 60 mm / axle	X	X	
Ford	Mustang ( 5-lug ) Bj. 1964 - 1993 Bj. 1993 - 1996	114,3 x 5 centering with nuts	SPV 005 F 23 46 mm / axle	X	X	
			SPV 005 F 30 60 mm / axle	X	X	
Ford	Mustang ( 5-lug ) Bj. 1997 - 2008	114,3 x 5 with hub centric	SPV 005 FN 23 46 mm / axle	X	X	
			SPV 005 FN 30 60 mm / axle	X	X	